



SAFETY DATA SHEET

Astonish Specialist Extra Strength Grease Lifter

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Astonish Specialist Extra Strength Grease Lifter
Product number	675001
Internal identification	6750F2V1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Degreasing and cleaning hard kitchen surfaces and cookware.
Uses advised against	Do not apply to hot surfaces. Avoid prolonged contact with painted surfaces, gold, silver or aluminium. Do not use on oven transfers and decals.

1.3. Details of the supplier of the safety data sheet

Supplier	The London Oil Refining Company Ltd Astonish House Unit 1 Premier Point Staithgate Lane Bradford, BD6 1DW UK + 44 1274 767440 + 44 1274 726285 www.astonishcleaners.com
Contact person	info@astonish.co.uk

1.4. Emergency telephone number

Emergency telephone	UK - Emergency Telephone (01274) 767440 (8am-4pm Mon-Fri). ROI - Poisons Information Centre of Ireland: 01 809 2166 8am-10pm 7 days a week
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal word	Warning
Hazard statements	H319 Causes serious eye irritation.

Astonish Specialist Extra Strength Grease Lifter

Precautionary statements	<p>P101 If medical advice is needed, have product container or label at hand.</p> <p>P102 Keep out of reach of children.</p> <p>P103 Read label before use.</p> <p>P264 Wash hands thoroughly after handling.</p> <p>P280 Wear eye protection.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p>
Additional Labelling	None
Detergent labelling	< 5% amphoteric surfactants, < 5% EDTA and salts thereof, < 5% non-ionic surfactants, < 5% perfumes, < 5% phosphonates

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

<p>Sodium Carbonate 1-5%</p> <p>CAS number: 497-19-8 EC number: 207-838-8 REACH registration number: 01-2119485498-19-0000</p>
<p>Classification</p> <p>Eye Irrit. 2 - H319</p>
<p>Butyl Diglycol 1-5%</p> <p>CAS number: 112-34-5 EC number: 203-961-6</p>
<p>Classification</p> <p>Eye Irrit. 2 - H319</p>
<p>Undecanol, branched and linear, ethoxylated (>5-15 EO) 1-5%</p> <p>CAS number: 68439-46-3</p>
<p>Classification</p> <p>Acute Tox. 4 - H302</p> <p>Eye Dam. 1 - H318</p>
<p>Amines, C12-18(even numbered)-alkyldimethyl, N-oxides <1%</p> <p>CAS number: 68955-55-5 EC number: 931-341-1 REACH registration number: 01-2119489396-21-XXXX</p> <p>M factor (Acute) = 1</p>
<p>Classification</p> <p>Acute Tox. 4 - H302</p> <p>Skin Irrit. 2 - H315</p> <p>Eye Dam. 1 - H318</p> <p>Aquatic Acute 1 - H400</p> <p>Aquatic Chronic 2 - H411</p>

Astonish Specialist Extra Strength Grease Lifter

Etidronic Acid	<1%	
CAS number: 2809-21-4	REACH registration number: 01-2119510391-53-0000	
Classification		
Met. Corr. 1 - H290		
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		
tetrasodium ethylene diamine tetraacetate	<1%	
CAS number: 64-02-8	EC number: 200-573-9	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H332		
Eye Dam. 1 - H318		
STOT RE 2 - H373		
Sodium Hydroxide	<1%	
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-07-0000
Classification		
Met. Corr. 1 - H290		
Skin Corr. 1A - H314		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove exposure and give water to drink if mouth irritation experienced. Seek medical advice if recovery not rapid.
Ingestion	Drink water. If symptoms persist seek medical advice.
Skin contact	Rinse affected area with water.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Possible mild irritation of breathing passage and possible mouth irritation.
Ingestion	Possible mild stomach upset and mild soreness of mouth.
Skin contact	Possible mild transient irritation of skin.
Eye contact	Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No data available
Specific treatments	No data available.

Astonish Specialist Extra Strength Grease Lifter

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use extinguisher suitable to cause of fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Product does not support combustion, minimal fire hazard. Minimal quantities of oxides of carbon may be produced.

5.3. Advice for firefighters

Protective actions during firefighting Use protection suitable to cause of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Product is intended to be rinsed away to sewer after use. For bigger spillages non-household spillages prevent entry into sewer or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area clean with a damp cloth.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Use as instructed on label. Avoid breathing spray. Point spray away from face. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in ambient conditions. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) Degreasing and cleaning hard kitchen surfaces and cookware

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Sodium Carbonate

Long-term exposure limit (8-hour TWA): 10 mg/m³

Butyl Diglycol

Long-term exposure limit (8-hour TWA): 10 ppm 67.5 mg/m³

Short-term exposure limit (15-minute): 15 ppm 101.2 mg/m³

Sodium Hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

Astonish Specialist Extra Strength Grease Lifter

Amines, C12-18(even numbered)-alkyldimethyl, N-oxides (CAS: 68955-55-5)

DNEL	Workers - Dermal; systemic effects: 11 mg/kg/day
	Workers - Inhalation; systemic effects: 15.5 mg/m ³
	Workers - Dermal; local effects: 0.27 %
	General population - Dermal; systemic effects: 5.5 mg/kg/day
	General population - Inhalation; systemic effects: 3.8 mg/m ³
	General population - Oral; systemic effects: 0.44 mg/kg/day
PNEC	- Fresh water; 0.0335 mg/l
	- marine water; 0.00335 mg/l
	- Intermittent release; 0.0335 mg/l
	- Sediment (Freshwater); 5.24 mg/kg
	- Sediment (Marinewater); 0.524 mg/kg
	- Soil; 1.02 mg/kg
	- STP; 24 mg/kg

8.2. Exposure controls

Eye/face protection	Wear eye protection.
Environmental exposure controls	This product does not pose a hazard in normal use when following the usage instructions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear Blue liquid
Colour	Pale Blue
Odour	Citrus/Grapefruit
Odour threshold	Not known.
pH	pH (concentrated solution): 9.2 - 10.8
Melting point	Not known.
Initial boiling point and range	Not measured (>100°C)
Flash point	Not determined.
Evaporation rate	Not known.
Evaporation factor	Not known.
Flammability (solid, gas)	Does not ignite.
Upper/lower flammability or explosive limits	Does not ignite.
Other flammability	Not relevant.
Vapour pressure	Not determined.
Vapour density	> 1 (Air=1)
Relative density	1.027 - 1.043 @ 20°C
Bulk density	Not relevant.
Solubility(ies)	Soluble in water

Astonish Specialist Extra Strength Grease Lifter

Partition coefficient	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not available.
Viscosity	Not measured
Explosive properties	None
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.

9.2. Other information

Other information	None.
--------------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No reactivity hazards expected.
-------------------	---------------------------------

10.2. Chemical stability

Stability	Stable under normal conditions.
------------------	---------------------------------

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal conditions.
---	-------------------------------

10.4. Conditions to avoid

Conditions to avoid	None known.
----------------------------	-------------

10.5. Incompatible materials

Materials to avoid	None known.
---------------------------	-------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Carbon oxides.
---	----------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	This mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.
------------------------------	---

Acute toxicity - oral

ATE oral (mg/kg)	12,749.33
-------------------------	-----------

SECTION 12: Ecological information

12.1. Toxicity

Toxicity	The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.
-----------------	--

12.2. Persistence and degradability

Persistence and degradability	Contains detergents that satisfy the bio-degradation requirements of directive 648/2004/EC.
--------------------------------------	---

Astonish Specialist Extra Strength Grease Lifter

12.3. Bioaccumulative potential

Bioaccumulative potential Not available.

Partition coefficient Not known.

12.4. Mobility in soil

Mobility The components of the mixture are readily absorbed into soil and are mobile in water environment.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No data available.

12.6. Other adverse effects

Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment. Dispose of contaminated packaging in the same way as the product itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

General Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

Astonish Specialist Extra Strength Grease Lifter

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation This safety data sheet is compliant with EC Regulation 1907/2006 (REACH) as adapted by 453/2010, Directive 67/548/EEC and EC Regulation 1272/2008 (CLP).
Dangerous Preparations Directive 1999/45/EC.
Regulation (EC) No. 648/2004 of the European Parliament and of the Council of 31st March 2004 on detergents.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet ATE: Acute Toxicity Estimate.
CAS: Chemical Abstracts Service.
DNEL: Derived No Effect Level.
ECHA: European Chemicals Agency
GHS: Globally Harmonized System.
PBT: Persistent, Bioaccumulative and Toxic substance.
PNEC: Predicted No Effect Concentration.
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
vPvB: Very Persistent and Very Bioaccumulative.

General information Note: The hazard statements below are explanations of phrases used in the SDS as abbreviations and DO NOT apply to the product. The statements applicable to the product are those identified in Section 2 only.
Any animal testing information or data listed in this safety data sheet is historic published data within the public domain. There is a requirement to declare this information if it is known and this does not impact our cruelty free status. The London Oil Refining Company Ltd does not commission animal testing.

Revision comments Product name change Revised formulation. Revised Internal Identification. Updated Section 16 to remove R phrases

Issued by The London Oil Refining Company Ltd

Revision date 03/03/2020

Revision 2.1

Supersedes date 14/09/2018

SDS number 5202

Hazard statements in full H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H373 May cause damage to organs (Respiratory tract) through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.