



SAFETY DATA SHEET

Astonish Specialist Ultimate Limescale Remover

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Astonish Specialist Ultimate Limescale Remover
Product number	694001
Internal identification	6940F2V1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cleaning and Removing Limescale
Uses advised against	Avoid contact with natural stone or acid sensitive surfaces.

1.3. Details of the supplier of the safety data sheet

Supplier	The London Oil Refining Company Ltd Astonish House Unit 1 Premier Point Staithgate Lane Bradford, BD6 1DW UK + 44 1274 767440 + 44 1274 726285 www.astonishcleaners.com
-----------------	---

Contact person info@astonish.co.uk

Manufacturer As supplier.

1.4. Emergency telephone number

Emergency telephone	UK - Emergency Telephone (01274) 767440 (8am-4pm Mon-Fri). ROI - Poisons Information Centre of Ireland: 01 809 2166 8am-10pm 7 days a week
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

Astonish Specialist Ultimate Limescale Remover

Hazard statements	EUH208 Contains ((Chloro)methylisothiazolinone & Methylisothiazolinone. May produce an allergic reaction. H319 Causes serious eye irritation.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P264 Wash hands thoroughly after handling. P280 Wear eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.
Supplemental label information	Do not allow the product to come into contact with chlorine bleach.
Additional Labelling	None
Detergent labelling	< 5% non-ionic surfactants, < 5% perfumes, < 5% phosphonates, Contains d-Limonene, reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one and 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Citric Acid Monohydrate CAS number: 5949-29-1 EC number: 201-069-1	1-5%
Classification Eye Irrit. 2 - H319	
Undecanol, branched and linear, ethoxylated (>5-15 EO) CAS number: 68439-46-3	1-5%
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318	
Butyl Diglycol CAS number: 112-34-5 EC number: 203-961-6	1-5%
Classification Eye Irrit. 2 - H319	

Astonish Specialist Ultimate Limescale Remover

Etidronic Acid <1% CAS number: 2809-21-4 REACH registration number: 01-2119510391-53-0000
Classification Met. Corr. 1 - H290 Acute Tox. 4 - H302 Eye Dam. 1 - H318
Glycerol <1% CAS number: 56-81-5 EC number: 200-289-5
Classification Not Classified
2,2'-iminodiethanol <1% CAS number: 111-42-2 EC number: 203-868-0
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373 Aquatic Chronic 3 - H412
d-Limonene <1% CAS number: 5989-27-5 EC number: 227-813-5 M factor (Chronic) = 1
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Chronic 1 - H410
((Chloro)methylisothiazolinone & Methylisothiazolinone) <1% CAS number: 55965-84-9 EC number: 611-341-5 M factor (Acute) = 100 M factor (Chronic) = 100
Classification Acute Tox. 3 - H301 Acute Tox. 2 - H310 Acute Tox. 2 - H330 Skin Corr. 1B - H314 Skin Sens. 1A - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Astonish Specialist Ultimate Limescale Remover

1,2-benzisothiazol-3(2H)-one	<1%
CAS number: 2634-33-5	EC number: 220-120-9
M factor (Acute) = 1	
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove exposure and give water to drink if mouth irritation experienced. Seek medical advice if recovery not rapid.
Ingestion	Drink water. If symptoms persist seek medical advice.
Skin contact	Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Possible mild irritation of breathing passage and possible mouth irritation.
Ingestion	Possible mild stomach upset and mild soreness of mouth.
Skin contact	Causes skin irritation.
Eye contact	Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No data available
Specific treatments	No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use extinguisher suitable to cause of fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Product does not support combustion, minimal fire hazard. Minimal quantities of oxides of carbon may be produced.

5.3. Advice for firefighters

Protective actions during firefighting Use protection suitable to cause of fire.

Astonish Specialist Ultimate Limescale Remover

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Product is intended to be rinsed away to sewer after use. For bigger spillages non-household spillages prevent entry into sewer or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area clean with a damp cloth.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Use as instructed on label. Avoid breathing spray. Point spray away from face. Avoid contact with skin and eyes. Do not mix with chlorine bleach containing products. May release dangerous gas (chlorine).

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in ambient conditions. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) Cleaning and Removing Limescale. Observe precautions in section 7.1.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Butyl Diglycol

Long-term exposure limit (8-hour TWA): 10 ppm 67.5 mg/m³

Short-term exposure limit (15-minute): 15 ppm 101.2 mg/m³

Glycerol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

2,2'-iminodiethanol

Long-term exposure limit (8-hour TWA): WEL 13 mg/m³

WEL = Workplace Exposure Limit.

Citric Acid Monohydrate (CAS: 5949-29-1)

PNEC

- Fresh water; 0.44 mg/l
- Sediment (Freshwater); 3.46 mg/kg
- Sediment (Marinewater); 34.6 mg/kg
- marine water; 0.044 mg/l
- STP; >1000 mg/l
- Soil; 33.1 mg/kg

8.2. Exposure controls

Eye/face protection Wear eye protection.

Astonish Specialist Ultimate Limescale Remover

Hand protection	For prolonged contact or sensitive skin wear rubber gloves.
Environmental exposure controls	This product does not pose a hazard in normal use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear colourless liquid
Colour	Colourless.
Odour	Zesty Lemon/Lime
Odour threshold	Not known.
pH	pH (concentrated solution): 1.8 - 3.2
Melting point	Not known.
Initial boiling point and range	Not measured (>100°C)
Flash point	Not determined.
Evaporation rate	Not known.
Evaporation factor	Not known.
Flammability (solid, gas)	Does not ignite.
Upper/lower flammability or explosive limits	Does not ignite.
Other flammability	Not relevant.
Vapour pressure	Not determined.
Vapour density	> 1 (Air=1)
Relative density	1.008 - 1.020 @ 20°C
Bulk density	Not relevant.
Solubility(ies)	Soluble in water
Partition coefficient	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not available.
Viscosity	Not measured
Explosive properties	None
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.

9.2. Other information

Other information	None.
--------------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Will react with chlorine bleach to produce chlorine gas
-------------------	---

Astonish Specialist Ultimate Limescale Remover

10.2. Chemical stability

Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Will produce chlorine when reacted with chlorine bleach. Retail pack will produce such low volumes the risk to health is considered negligible.

10.4. Conditions to avoid

Conditions to avoid None known.

10.5. Incompatible materials

Materials to avoid Do not mix with Chlorine Bleach

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects This mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Acute toxicity - oral

ATE oral (mg/kg) 17,838.94

SECTION 12: Ecological information

12.1. Toxicity

Toxicity The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

12.2. Persistence and degradability

Persistence and degradability Contains detergents that satisfy the bio-degradation requirements of directive 648/2004/EC.

12.3. Bioaccumulative potential

Bioaccumulative potential Not available.

Partition coefficient Not known.

12.4. Mobility in soil

Mobility The components of the mixture are readily absorbed into soil and are mobile in water environment.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No data available.

12.6. Other adverse effects

Other adverse effects Not available.

Astonish Specialist Ultimate Limescale Remover

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment. Dispose of contaminated packaging in the same way as the product itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

General Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

This safety data sheet is compliant with EC Regulation 1907/2006 (REACH) as adapted by 453/2010, Directive 67/548/EEC and EC Regulation 1272/2008 (CLP).
Dangerous Preparations Directive 1999/45/EC.
Regulation (EC) No. 648/2004 of the European Parliament and of the Council of 31st March 2004 on detergents.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Astonish Specialist Ultimate Limescale Remover

Abbreviations and acronyms used in the safety data sheet	<p>ATE: Acute Toxicity Estimate. CAS: Chemical Abstracts Service. ECHA: European Chemicals Agency GHS: Globally Harmonized System. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. vPvB: Very Persistent and Very Bioaccumulative.</p>
General information	<p>Note: The hazard statements below are explanations of phrases used in the SDS as abbreviations and DO NOT apply to the product. The statements applicable to the product are those identified in Section 2 only.</p> <p>Any animal testing information or data listed in this safety data sheet is historic published data within the public domain. There is a requirement to declare this information if it is known and this does not impact our cruelty free status. The London Oil Refining Company Ltd does not commission animal testing.</p>
Revision comments	Product name change. Revised formulation.
Issued by	The London Oil Refining Company Ltd
Revision date	07/04/2020
Revision	2.1
Supersedes date	28/06/2017
SDS number	5207
Hazard statements in full	<p>H226 Flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH208 Contains ((Chloro)methylisothiazolinone & Methylisothiazolinone. May produce an allergic reaction.</p>